

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- Mit XMLSpy v2010 rel. 3 sp1 (http://www.altova.com) von Martin Stingelin (Stingelin Informatik GmbH) bearbeitet
-->
<!-- edited with XMLSpy v2012 rel. 2 sp1 (http://www.altova.com) by Martin Stingelin (Stingelin Informatik GmbH) -->
<!-- edited with XMLSPY v2004 rel. 3 U (http://www.xmlspy.com) by BITUSER (Bundesamt für Informatik und
Telekommunikation) -->
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
xmlns:eCH-0097="http://www.ech.ch/xmlns/eCH-0097-f/6" xmlns:eCH-0098="http://www.ech.ch/xmlns/eCH-0098-f/6"
xmlns:eCH-0108="http://www.ech.ch/xmlns/eCH-0108-f/6" xmlns:eCH-0116="http://www.ech.ch/xmlns/eCH-0116-f/5"
xmlns:eCH-0007="http://www.ech.ch/xmlns/eCH-0007-f/6" xmlns:eCH-0058="http://www.ech.ch/xmlns/eCH-0058/5"
targetNamespace="http://www.ech.ch/xmlns/eCH-0116-f/5" elementFormDefault="qualified"
attributeFormDefault="unqualified" version="5.0">
<xs:annotation>
<xs:documentation>Ausgabedatum:22.06.2020</xs:documentation>
</xs:annotation>
<xs:import namespace="http://www.ech.ch/xmlns/eCH-0097-f/6"
schemaLocation="http://www.ech.ch/xmlns/eCH-0097-f/6/eCH-0097-6-0f.xsd"/>
<xs:import namespace="http://www.ech.ch/xmlns/eCH-0098-f/6"
schemaLocation="http://www.ech.ch/xmlns/eCH-0098-f/6/eCH-0098-6-0f.xsd"/>
<xs:import namespace="http://www.ech.ch/xmlns/eCH-0108-f/6"
schemaLocation="http://www.ech.ch/xmlns/eCH-0108-f/6/eCH-0108-6-0f.xsd"/>
<xs:import namespace="http://www.ech.ch/xmlns/eCH-0007-f/6"
schemaLocation="http://www.ech.ch/xmlns/eCH-0007-f/6/eCH-0007-6-0f.xsd"/>
<xs:import namespace="http://www.ech.ch/xmlns/eCH-0058/5"
schemaLocation="http://www.ech.ch/xmlns/eCH-0058/5/eCH-0058-5-0.xsd"/>
<xs:simpleType name="eventTypesType">
<xs:restriction base="xs:token">
<xs:enumeration value="1"/>
<xs:enumeration value="2"/>
<xs:enumeration value="3"/>
<xs:enumeration value="4"/>
<xs:enumeration value="5"/>
<xs:enumeration value="6"/>
<xs:enumeration value="7"/>
<xs:enumeration value="8"/>
<xs:enumeration value="9"/>
<xs:enumeration value="10"/>
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="numberOfOrganisationsType">
<xs:restriction base="xs:nonNegativeInteger"/>
</xs:simpleType>
<xs:simpleType name="uidInfoAboMessageTypeType">
<xs:restriction base="xs:nonNegativeInteger">
<xs:enumeration value="1"/>
<xs:enumeration value="2"/>
<xs:enumeration value="3"/>
<xs:enumeration value="4"/>
<xs:enumeration value="5"/>
<xs:enumeration value="6"/>
<xs:enumeration value="7"/>
<xs:enumeration value="8"/>
<xs:enumeration value="9"/>
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="infoAboRegistrationTypeType">
<xs:restriction base="xs:nonNegativeInteger">
<xs:enumeration value="1"/>
<xs:enumeration value="2"/>
</xs:restriction>
```

```

</xs:simpleType>
<xs:complexType name="reportingRegister">
<xs:complexContent>
<xs:extension base="eCH-0097:uidStructureType"/>
</xs:complexContent>
</xs:complexType>
<xs:complexType name="eventFederalRegisterBaseDelivery">
<xs:sequence>
<xs:element name="reportingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="organisationRegisterOnly" type="eCH-0108:organisationType" maxOccurs="unbounded"/>
<xs:element name="numberOfOrganisations" type="eCH-0116:numberOfOrganisationsType"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="organisationSearchCriteria">
<xs:sequence>
<xs:element name="uid" type="eCH-0097:uidStructureType" minOccurs="0"/>
<xs:element name="OtherOrganisationId" type="eCH-0097:namedOrganisationIdType" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="organisationName" type="eCH-0097:organisationNameType" minOccurs="0"/>
<xs:element name="organisationAdditionalName" type="eCH-0097:organisationNameType" minOccurs="0"/>
<xs:element name="NOGACode" type="eCH-0098:NOGACodeType" minOccurs="0"/>
<xs:element name="foundation" type="eCH-0098:foundationType" minOccurs="0"/>
<xs:element name="liquidation" type="eCH-0098:liquidationType" minOccurs="0"/>
<xs:element name="languageOfCorrespondance" minOccurs="0">
<xs:simpleType>
<xs:restriction base="eCH-0098:languageType">
<xs:minLength value="1"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="uidregInformation" type="eCH-0108:uidregInformationType" minOccurs="0"/>
<xs:element name="commercialRegisterInformation" type="eCH-0108:commercialRegisterInformationType"
minOccurs="0"/>
<xs:element name="vatRegisterInformation" type="eCH-0108:vatRegisterInformationType" minOccurs="0"/>
<xs:element name="organisationMunicipalityID" type="eCH-0007:municipalityIdType" minOccurs="0"/>
<xs:element name="cantonAbbreviationMainAddress" type="eCH-0007:cantonAbbreviationType" minOccurs="0"/>
<xs:element name="cantonAbbreviationAdditionalAddress" type="eCH-0007:cantonAbbreviationType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="eventRegisterRequest">
<xs:sequence>
<xs:element name="requestingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="searchCriteria" type="eCH-0116:organisationSearchCriteria" minOccurs="0"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="eventRequestNewOrganisation">
<xs:sequence>
<xs:element name="requestingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="registerOrganisationData" type="eCH-0108:organisationType"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="eventRequestRegisterModification">
<xs:sequence>
<xs:element name="requestingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="registerOrganisationData" type="eCH-0108:organisationType"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>

```

```

</xs:complexType>
<xs:complexType name="eventRequestRegisterDeletion">
<xs:sequence>
<xs:element name="requestingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="registerOrganisationData" type="eCH-0108:organisationType"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="eventRequestOrganisationReactivation">
<xs:sequence>
<xs:element name="requestingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="uid" type="eCH-0097:uidStructureType"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="eventRequestRegistration">
<xs:sequence>
<xs:element name="requestingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="uid" type="eCH-0097:uidStructureType" maxOccurs="unbounded"/>
<xs:element name="infoAboRegistrationType" type="eCH-0116:infoAboRegistrationTypeType"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="eventRequestDeregistration">
<xs:sequence>
<xs:element name="requestingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="uid" type="eCH-0097:uidStructureType" maxOccurs="unbounded"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="eventInfoRegisterModification">
<xs:sequence>
<xs:element name="reportingRegister" type="eCH-0116:reportingRegister"/>
<xs:element name="registerOrganisationData" type="eCH-0108:organisationType"/>
<xs:element name="uidInfoAboMessageType" type="eCH-0116:uidInfoAboMessageTypeType"/>
<xs:element name="extension" type="xs:anyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:element name="delivery">
<xs:complexType>
<xs:sequence>
<xs:element name="deliveryHeader" type="eCH-0058:headerType"/>
<xs:choice>
<!-- Meldungen UID-Stelle zu UID-Register -->
<xs:element name="FederalRegisterBaseDelivery" type="eCH-0116:eventFederalRegisterBaseDelivery"/>
<xs:element name="requestNewOrganisation" type="eCH-0116:eventRequestNewOrganisation"/>
<xs:element name="requestRegisterModification" type="eCH-0116:eventRequestRegisterModification"/>
<xs:element name="requestRegisterDeletion" type="eCH-0116:eventRequestRegisterDeletion"/>
<xs:element name="requestOrganisationReactivation" type="eCH-0116:eventRequestOrganisationReactivation"/>
<xs:element name="requestRegistration" type="eCH-0116:eventRequestRegistration"/>
<xs:element name="requestDeregistration" type="eCH-0116:eventRequestDeregistration"/>
<xs:element name="registerRequest" type="eCH-0116:eventRegisterRequest"/>
<!-- InfoAbo: Meldungen UID-Register an UID-Stellen -->
<xs:element name="registerModification" type="eCH-0116:eventInfoRegisterModification"/>
</xs:choice>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="response">
<xs:complexType>

```

```
<xs:sequence>
<xs:element name="eventReport">
<xs:complexType>
<xs:sequence>
<xs:element name="reportHeader" type="eCH-0058:headerType"/>
<xs:element name="info" type="eCH-0058:infoType"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:choice>
<!-- Rückgabe des vollständigen Datensatzes wie er im UID-Register besteht -->
<xs:element name="federalRegisterBaseDelivery" type="eCH-0116:eventFederalRegisterBaseDelivery"
minOccurs="0"/>
</xs:choice>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:schema>
```