

```
<?xml version="1.0" encoding="UTF-8"?>
<!-- Mit XMLSpy v2010 rel. 3 sp1 (http://www.altova.com) von Martin Stingelin (Stingelin Informatik GmbH) bearbeitet
-->
<!-- edited with XMLSpy v2012 rel. 2 sp1 (http://www.altova.com) by Martin Stingelin (Stingelin Informatik GmbH) -->
<!-- edited with XMLSPY v2004 rel. 3 U (http://www.xmlspy.com) by BITUSER (Bundesamt für Informatik und
Telekommunikation) -->
<xsschema xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:eCH-0247="http://www.ech.ch/xmlns/eCH-0247/1"
xmlns:eCH-0058="http://www.ech.ch/xmlns/eCH-0058/5" xmlns:eCH-0155="http://www.ech.ch/xmlns/eCH-0155/5"
targetNamespace="http://www.ech.ch/xmlns/eCH-0247/1" elementFormDefault="qualified"
attributeFormDefault="unqualified" version="1.0">
<xssannotation>
<xsddocumentation>Ausgabedatum: 07.10.2020</xsddocumentation>
</xssannotation>
<xssimport namespace="http://www.ech.ch/xmlns/eCH-0058/5"
schemaLocation="http://www.ech.ch/xmlns/eCH-0058/5/eCH-0058-5-0.xsd"/>
<xssimport namespace="http://www.ech.ch/xmlns/eCH-0155/5"
schemaLocation="http://www.ech.ch/xmlns/eCH-0155/5/eCH-0155-5-0.xsd"/>
<xssattribute name="minorVersion" type="xs:integer">
<xssannotation>
<xsddocumentation>This attribute is used for indicating the minor version of an XML Schema instance in a standardized
way. It SHOULD only appear on the document element of XML Schema instances.</xsddocumentation>
</xssannotation>
</xssattribute>
<xsscomplexType name="initialDeliveryType">
<xsssequence>
<xsselement name="masterDoi" maxOccurs="unbounded">
<xsscomplexType>
<xsssequence>
<xsselement name="masterDomainOfInfluence" type="eCH-0155:domainOfInfluenceType"/>
<xsselement name="masterCC" type="eCH-0155:countingCircleType" maxOccurs="unbounded"/>
</xsssequence>
</xsscomplexType>
</xsselement>
<xsselement name="contest" minOccurs="0">
<xsscomplexType>
<xsssequence>
<xsselement name="dateOfVoting" type="eCH-0155:dateOfVotingType" minOccurs="0"/>
<xsselement name="votIdentification" type="eCH-0155:votIdentificationType" minOccurs="0"
maxOccurs="unbounded"/>
<xsselement name="electionIdentification" type="eCH-0155:electionIdentificationType" minOccurs="0"
maxOccurs="unbounded"/>
</xsssequence>
</xsscomplexType>
</xsselement>
<xsselement name="extension" type="eCH-0155:extensionType" minOccurs="0"/>
</xsssequence>
</xsscomplexType>
<xsscomplexType name="mappingDeliveryType">
<xsssequence>
<xsselement name="doiCC" maxOccurs="unbounded">
<xsscomplexType>
<xsssequence>
<xsselement name="masterDoi">
<xsscomplexType>
<xsssequence>
<xsselement name="masterDomainOfInfluence" type="eCH-0155:domainOfInfluenceType"/>
<xsselement name="masterCC" type="eCH-0155:countingCircleType" maxOccurs="unbounded"/>
</xsssequence>
</xsscomplexType>
</xsselement>
```

```
<xs:element name="otherDoi" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="doiMapping">
<xs:complexType>
<xs:sequence>
<xs:element name="masterDomainOfInfluenceIdentification" type="eCH-0155:domainOfInfluenceIdentificationType"/>
<xs:element name="domainOfInfluence" type="eCH-0155:domainOfInfluenceType"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="ccMapping" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="masterCountingCircleId" type="eCH-0155:countingCircleIdType"/>
<xs:element name="countingCircle" type="eCH-0155:countingCircleType"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:complexType>
</xs:element>
</xs:sequence>
<xs:element name="nonMappedOtherDoi" minOccurs="0" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="domainOfInfluence" type="eCH-0155:domainOfInfluenceType"/>
<xs:element name="countingCircle" type="eCH-0155:countingCircleType" maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="contest" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="dateOfVoting" type="eCH-0155:dateOfVotingType" minOccurs="0"/>
<xs:element name="voterIdentification" type="eCH-0155:voterIdentificationType" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="electionIdentification" type="eCH-0155:electionIdentificationType" minOccurs="0"
maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="extension" type="eCH-0155:extensionType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="consolidatedDeliveryType">
<xs:sequence>
<xs:element name="doiCC" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="masterDoi">
<xs:complexType>
<xs:sequence>
<xs:element name="masterDomainOfInfluence" type="eCH-0155:domainOfInfluenceType"/>
<xs:element name="masterCC" type="eCH-0155:countingCircleType" maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
</xs:element>
```

```
<xs:element name="otherDoi" minOccurs="0" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="doiMapping">
<xs:complexType>
<xs:sequence>
<xs:element name="masterDomainOfInfluenceIdentification" type="eCH-0155:domainOfInfluenceIdentificationType"/>
<xs:element name="domainOfInfluence" type="eCH-0155:domainOfInfluenceType"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="ccMapping" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="masterCountingCircleId" type="eCH-0155:countingCircleIdType"/>
<xs:element name="countingCircle" type="eCH-0155:countingCircleType"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:sequence>
</xs:complexType>
</xs:element>
<xs:sequence>
</xs:complexType>
</xs:element>
<xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="contest" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="dateOfVoting" type="eCH-0155:dateOfVotingType" minOccurs="0"/>
<xs:element name="voteIdentification" type="eCH-0155:voteIdentificationType" minOccurs="0"
maxOccurs="unbounded"/>
<xs:element name="electionIdentification" type="eCH-0155:electionIdentificationType" minOccurs="0"
maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="extension" type="eCH-0155:extensionType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:complexType name="qualityAssuranceDeliveryType">
<xs:sequence>
<xs:element name="doiCC" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="masterDoi">
<xs:complexType>
<xs:sequence>
<xs:element name="masterDomainOfInfluence">
<xs:complexType>
<xs:complexContent>
<xs:extension base="eCH-0155:domainOfInfluenceType">
<xs:sequence>
<xs:element name="parentDomainOfInfluenceIdentification" type="eCH-0155:domainOfInfluenceIdentificationType"
minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
<xs:element name="masterCC" maxOccurs="unbounded">
```

```
<xs:complexType>
<xs:complexContent>
<xs:extension base="eCH-0155:countingCircleType">
<xs:sequence>
<xs:element name="parentCountingCircleId" type="eCH-0155:countingCircleIdType" minOccurs="0"
maxOccurs="unbounded"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="otherDoi">
<xs:complexType>
<xs:sequence>
<xs:element name="doiMapping">
<xs:complexType>
<xs:sequence>
<xs:element name="masterDomainOfInfluenceIdentification" type="eCH-0155:domainOfInfluenceIdentificationType"/>
<xs:element name="domainOfInfluence">
<xs:complexType>
<xs:complexContent>
<xs:extension base="eCH-0155:domainOfInfluenceType">
<xs:sequence>
<xs:element name="parentDomainOfInfluenceIdentification" type="eCH-0155:domainOfInfluenceIdentificationType"
minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="ccMapping" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="masterCountingCircleId" type="eCH-0155:countingCircleIdType"/>
<xs:element name="countingCircle">
<xs:complexType>
<xs:complexContent>
<xs:extension base="eCH-0155:countingCircleType">
<xs:sequence>
<xs:element name="parentCountingCircleId" type="eCH-0155:countingCircleIdType" minOccurs="0"
maxOccurs="unbounded"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
```

```
</xs:element>
<xs:element name="nonMappedOtherDoi" minOccurs="0" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="domainOfInfluence">
<xs:complexType>
<xs:complexContent>
<xs:extension base="eCH-0155:domainOfInfluenceType">
<xs:sequence>
<xs:element name="parentDomainOfInfluenceIdentification" type="eCH-0155:domainOfInfluenceIdentificationType"
minOccurs="0" maxOccurs="unbounded"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
<xs:element name="countingCircle" maxOccurs="unbounded">
<xs:complexType>
<xs:complexContent>
<xs:extension base="eCH-0155:countingCircleType">
<xs:sequence>
<xs:element name="parentCountingCircleId" type="eCH-0155:countingCircleIdType" minOccurs="0"
maxOccurs="unbounded"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="extension" type="eCH-0155:extensionType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
<xs:element name="delivery">
<xs:complexType>
<xs:sequence>
<xs:element name="deliveryHeader" type="eCH-0058:headerType"/>
<xs:choice>
<xs:element name="initialDelivery" type="eCH-0247:initialDeliveryType"/>
<xs:element name="mappingDelivery" type="eCH-0247:mappingDeliveryType"/>
<xs:element name="consolidatedDelivery" type="eCH-0247:consolidatedDeliveryType"/>
</xs:choice>
</xs:sequence>
<xs:attribute ref="eCH-0247:minorVersion"/>
</xs:complexType>
</xs:element>
</xs:schema>
```